

Motor Marine 35

MX-10

SEA&SEA



Motor Marine 35 MX-10. -

45

SEA&SEA

o-ring

: 35  
35 (JIS35; )

36 24

ISO 100/400

:  
: F4.5 f+32 4 45 4  
:

2.5  
1.2 ( )

:( ) )

( )

: 1/100 ( )  
: 80% ; 0.45

:  
G no.10(ISO/100)M  
- Exclusive Strobe YS-40

: 3V DC -  
: 94 159 71  
: 595 ( )

o-ring



ISO400.

ISO (28)

ISO100

c

. ( .4)

(22)

(23).

. ( .5, 6)

(26).

(25)

. ( .7, 8)

∂∂∂∂∂ ∂∂□

!

b

o-ring.

o-ring.

YS-40. ( . 13,14)

o-ring

o-ring,

!

o-ring.

o-ring.

1

. ( . 15, 16)

1)

(ASA/ISO 100):

/F

4.5

4.5 - 5.6

8 - 11

16 - 22

16 - 22

2)

2.5

3)

	F	F4.5	F5.6	F8	F11	F16	F22
1.38 - 14.0	1.26 -	1.04 -	0.86 -	0.67 -	0.54 -		
4.53 - 45.6	4.14 -	3.42 -	2.82 -	2.20 -	1.78 -		

4)

!

1)

(8) f/4.5 f/1,

2)

3)

ASA/ISO 100

4.5,

1.4 2.3

11,

0.9 1.3

ASA/ISO 400

4.5,

4.4

11,

1.8

!

f4.5 f11,

1.33, 25%, 1.00.

30 40- 2.0 1.5

« »

YS-40.

10 20 )

(8).

- 1) YS-40 "on".
- 2) 1.2
- 3) ( )
- 4)
- 5)

F	F4.5	F5.6	F8	F11	F16	F22
0.91 - 1.66	0.87 - 1.8	0.78 - 2.4	0.7 - 4.0	0.6 -	0.5 -	
3.0 - 5.45	2.85 - 5.9	2.56 - 7.87	2.3 - 13.0	1.97 -	1.64 -	

- 1) ( )
- 2)
- 3) ( .22)
- ( .23)

1.

2.

3.

4.